

V

R
I
M

<ΔΙΑΣΤΑΣΕΙΣ>

METZELER

index

TL

ε 0

= TIMH

PIRELLI

index

TL

ε 0

= TIMH

VeeMoto

index

TL

ε 0

= TIMH

Ιανουάριος
2024

METZELER



Sportec M9 RR



RoadTec 01



Tourance Next 2

PIRELLI



Rosso 4 Corsa



Angel GT II



Scorpion Trail II

VeeMoto



V-396 Manhattan



V-359 Πατιά



V-221 Enduro

intramoto

Τ
Ι
Μ
Ο
Κ
Α
Τ
Α
Λ
Ο
Γ
Ο
Σ

A-24

1/1/2024

METZELER

PIRELLI

VeeMoto

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο	=	TIMH
---	-------------	--------------	----------	-------	----	----	---	------

PIRELLI	index	TL	εο	=	TIMH
---------	-------	----	----	---	------

VeeMoto	index	TL	εο	=	TIMH
---------	-------	----	----	---	------

ΠΑΠΙΑ

ΠΑΠΙΑ	17"	60/100 - 17							SUPER-City {NEW}	33L	TT	ε	38	V359-sport	33P	TT	ε	25
	!	2.50 - 17	ME22-sport/rf. (4PR)	43P	TT	=	39		ANGEL-City/rf.	43P	TT	=	39	V359-sport	38P	TT	=	27
	!	2.75 - 17	ME22-sport/rf. (6PR)	47P	TT	=	42		ANGEL-City/rf.	47P	TT	ο	42	V359-sport	41P	TT	=	30
	!	2.50 - 17							SUPER-City {NEW}	38P	TT	ε	39	V022-enduro	38R	TT	=	29
	!	2.75 - 17							SUPER-City {NEW}/rf.	47P	TT	ο	42	V022-enduro	47R	TT	=	33
	!	2.75 - 17							City-Cross/rf.	47P	TT	ο	42					
	!	70/90 - 17	"ANGEL-City--Παπιά"		>	ANGEL-City	38S	TL	ε	40								
	!	80/90 - 17	"ANGEL-City--Παπιά"		>	ANGEL-City	44S	TL	ο	44								
	!	70/90 - 17	"ROSSO-Sport--Παπιά"		>	ROSSO-Sport	38S	TL	=	48								
	!	80/90 - 17	"ROSSO-Sport--Παπιά"		>	ROSSO-Sport	44S	TL	=	56								
ΠΑΠΙΑ	!	90/80 - 17	"ANGEL-City--SuperΠαπιά"		>	ANGEL-City	46S	TL	=	79								
	!	120/70 - 17	"ANGEL-City--SuperΠαπιά"		>	ANGEL-City	58S	TL	=	101								
	!	90/80 - 17	"ROSSO-Sport--SuperΠαπιά"		>	ROSSO-Sport	46S	TL	=	95								
	!	120/70 - 17	"ROSSO-Sport--SuperΠαπιά"		>	ROSSO-Sport	58S	TL	ο	132								
	14"	2.25 - 14												V020	24B	TT	=	19
	16"	2.1/4 - 16												V099/rf.	38J	TT	=	18
	!	2.1/2 - 16												V099/rf.	42J	TT	=	22
	!	2.3/4 - 16												V099/rf.	46J	TT	=	29
	!	50/45 - 17												V223-magic	22P	TT	=	22
	!	60/45 - 17												V223-magic	29P	TT	=	25
ΠΑΠΙΑ	!	70/45 - 17												V223-magic	39P	TT	=	29
	!	45/90 - 17												V360-satan	19S	TT	=	22
	!	65/75 - 17												V266-Dragster	35S	TT	ο	44

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto								
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH			
SCOOTER (6" εως 11")																	
SCOOTER	6"	5.4 - 6									V213	4PR	TT	o	53		
	8"	3.00 - 8									V113	37J	TT	=	20		
	!	3.50 - 8									V108 / V164-enduro	45J	TT	=	27		
	!	4.00 - 8									V108	55J	TT	=	28		
	10"	2.50 - 10									V018	39J	TT	=	22		
	!	2.75 - 10									V119B	40J	TT	=	23		
	!	3.00 - 10									Samson-054	50J	TT	=	26		
	!	3.00 - 10	ROADTEC-scoot/rf.	50J	TL	=	39	ANGEL-scoot/rf.	50J	TL	=	39	V396-Manhattan	42J	TL	=	28
	!	3.50 - 10									Samson-054	59J	TT	=	27		
	!	3.50 - 10									V219-enduro	51J	TT	=	29		
	!	3.50 - 10	ROADTEC-scoot/rf.	59J	TL	=	46	ANGEL-scoot/rf. (6PR)	59J	TL	=	46	V396-Manhattan/rf.	59J	TL	=	33
	!	80/90 - 10						ANGEL-scoot.	44J	TL	=	40					
	!	90/90 - 10	ROADTEC-scoot.	50J	TL	=	45	ANGEL-scoot.	50J	TL	=	45	V134	50J	TL	=	33
	!	100/80 - 10	ROADTEC-scoot.	53L	TL	=	46	ANGEL-scoot.	53L	TL	=	46	V396-Manhattan	53L	TL	=	33
	!	100/90 - 10	ROADTEC-scoot/rf.	61J	TL	=	46	ANGEL-scoot.	56J	TL	=	46	V396-Manhattan	56J	TL	=	33
	!	110/80 - 10	ROADTEC-scoot.	58L	TL	=	51	ANGEL-scoot.	58J	TL	=	51					
	!	120/70 - 10	ROADTEC-scoot/rf.	54L	TL	=	54	ANGEL-scoot/rf.	54L	TL	=	54	V396-Manhattan/rf.	54P	TL	=	39
!	120/90 - 10	ROADTEC-scoot.	66L	TL	=	52	ANGEL-scoot.	66J	TL	=	52	V119B	66L	TL	=	38	
!	120/90 - 10										V137-enduro	66M	TL	=	38		
!	130/70 - 10	ROADTEC-scoot/rf.	59L	TL	=	54	ANGEL-scoot/rf.	59L	TL	=	54						
!	130/90 - 10	ROADTEC-scoot.	61L	TL	=	55	ANGEL-scoot.	61J	TL	=	55	V137-enduro	66M	TL	=	41	
SCOOTER	11"	110/70 - 11					ANGEL-scoot.	45L	TL	=	54	V396-Manhattan	45L	TL	=	40	
	!	120/70 - 11					ANGEL-scoot/rf.	56L	TL	=	54	V396-Manhattan/rf.	56L	TL	=	41	
	!	130/70 - 11	*ROADTEC-scoot/rf.	60L	TL	=	59	ANGEL-scoot/rf.	60L	TL	=	59	*V134	60L	TL	=	47

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto								
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
SCOOTER (12" & 13")																	
SCOOTER	12"	3.00 - 12									V094	43J	TT	=	30		
	!	90/90 - 12	ROADTEC-scoot.	44J	TL	=	63	ANGEL-scoot.	44J	TL	=	63	V396-Manhattan	44J	TL	=	44
	!	100/90 - 12	ROADTEC-scoot.	59J	TL	=	65	ANGEL-scoot.	59J	TL	=	65					
	!	110/70 - 12	ROADTEC-scoot.	47P	TL	=	54	ANGEL-scoot.	47P	TL	=	54	V396-Manhattan	47P	TL	=	40
	!	110/90 - 12	ROADTEC-scoot.	64P	TL	ε	70	ANGEL-scoot.	64P	TL	=	70	V396-Manhattan	64P	TL	=	52
	!	120/70 L 12						ANGEL-scoot.	51L	TL	=	55					
	!	120/70 P 12	ROADTEC-scoot.	51P	TL	ο	61	ANGEL-scoot/rf.	58P	TL	ο	61					
	!	120/70 P 12	ROADTEC-scoot.	51P	TL	=	61	ANGEL-scoot.	51P	TL	=	61	V396-Manhattan/rf.	58P	TL	=	45
	!	120/70 S 12						ANGEL-scoot.	51S	TL	ε	62					
	!	130/70 L 12	ROADTEC-scoot/rf.	62L	TL	ο	59	ANGEL-scoot.	56L	TL	=	58					
	!	130/70 P 12	ROADTEC-scoot/rf.	62P	TL	ο	65	ANGEL-scoot/rf.	62P	TL	=	65	V396-Manhattan/rf.	62P	TL	=	49
	!	140/70 - 12	ROADTEC-scoot.	60L	TL	=	69	ANGEL-scoot/rf.	65P	TL	ο	74					
	!	120/80 - 12										V133-enduro	65J	TL	=	49	
	!	130/80 - 12										V133-enduro	69J	TL	=	55	
SCOOTER	13"	110/70 P 13	ROADTEC-scoot.	48P	TL	ε	61	ANGEL-scoot.	48P	TL	ε	61					
	!	110/70 S 13	ROADTEC-scoot/rf.	54S	TL	=	62	ANGEL-scoot.	48S	TL	ε	62					
	!	110/90 - 13	ROADTEC-scoot.	56P	TL	ε	71	ANGEL-scoot.	56P	TL	ε	71	V119B	56P	TL	ε	49
	!	120/70 - 13	ROADTEC-scoot.	53L	TL	=	60	ANGEL-scoot.	53P	TL	ε	62					
	!	130/60 - 13	ROADTEC-scoot.	53L	TL	=	57	ANGEL-scoot/rf.	60P	TL	=	62	V396-Manhattan/rf.	60P	TL	=	48
	!	130/70 - 13	ROADTEC-scoot/rf.	63P	TL	ο	71	ANGEL-scoot/rf.	63P	TL	ο	71	V119C/rf.	63P	TL	ο	51
	!	140/60 - 13	ROADTEC-scoot/rf.	63P	TL	ο	77	ANGEL-scoot/rf.	63P	TL	ο	77					
	!	140/70 - 13						ANGEL-scoot.	61P	TL	ο	79					
	!	150/70 - 13	ROADTEC-scoot.	64S	TL	ο	87	ANGEL-scoot.	64S	TL	ο	87					
	!	150/70 - 13						ROSSO-scoot.	64S	TL	ο	89					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto				
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	
SCOOTER (14")															
SCOOTER	14"	80/80 - 14	ROADTEC-scoot/rf.	43S	TL =	42	ANGEL-scoot/rf.	43S	TL ε	42					
	!	80/90 - 14					ROSSO-Sport	40S	TL =	44	V396-Manhattan/rf.	46P	TL =	32	
	!	90/80 - 14	ROADTEC-scoot/rf.	49S	TL ε	45	ANGEL-scoot/rf.	49S	TL =	45					
	!	90/90 - 14	ROADTEC-scoot.	46P	TL ε	55	ROSSO-Sport	46S	TL =	57	V396-Manhattan	46P	TL =	43	
	!	100/80 - 14	ROADTEC-scoot/rf.	54S	TL =	62	ANGEL-scoot/rf.	54S	TL =	62	V396-Manhattan/rf.	54P	TL =	47	
	!	100/80 - 14					ROSSO-Sport	48S	TL =	63					
	!	100/90 - 14	ROADTEC-scoot/rf.	57P	TL ο	73	ANGEL-scoot/rf.	57P	TL ο	73	V396-Manhattan/rf.	57P	TL =	55	
	!	100/90 - 14					ROSSO-Sport/rf.	57S	TL ο	76					
	!	110/70 - 14					ANGEL-scoot/rf.	56S	TL =	78					
	!	110/80 - 14	ROADTEC-scoot/rf.	59S	TL ε	61	ANGEL-scoot/rf.	59S	TL =	61	V396-Manhattan/rf.	59S	TL =	47	
	!	110/80 - 14					MT15-Mandrake/rf.	59J	TL ο	61					
	!	120/70 - 14	ROADTEC-scoot.	55S	TL =	73	ANGEL-scoot.	55P	TL =	72	V396-Manhattan	55S	TL =	54	
	!	120/70 - 14					ROSSO-scoot.	55S	TL ε	74					
	!	120/80 - 14	ROADTEC-scoot.	58S	TL =	79	ANGEL-scoot.	58P	TL =	78	V119B	58S	TL =	57	
	!	120/80 - 14					ROSSO-scoot.	58S	TL =	80					
	SCOOTER	!	140/60 P 14	ROADTEC-scoot/rf.	64P	TL ο	84	ANGEL-scoot/rf.	64P	TL ο	84				
		!	140/60 S 14					ANGEL-scoot/rf.	64S	TL ο	86				
		!	140/70 P 14	ROADTEC-scoot/rf.	68P	TL ο	89	ANGEL-scoot/rf.	68P	TL ο	89				
!		140/70 S 14	ROADTEC-scoot/rf.	68S	TL ο	91	ANGEL-scoot/rf.	68S	TL ο	91	V475-Emperor {NEW}	62S	TL ο	72	
!		150/70 P 14					ANGEL-scoot.	66P	TL ο	96					
!		150/70 S 14	ROADTEC-scoot.	66S	TL ο	98	ANGEL-scoot.	66S	TL ο	98	V475-Emperor {NEW}	66S	TL ο	79	
!	150/70 S 14					ANGEL-sco. Beverly-350	66S	TL ο	98						
!	150/70 S 14					ROSSO-scoot.	66S	TL ο	100						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto					
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH
SCOOTER (15" & 16")														
SCOOTER	15"	80/90 - 15									V396-Manhattan	47P	TL ε	49
	!	120/70 P 15					ANGEL-scoot.	56P	TL ε	79	V224	56P	TL ε	58
	!	120/70 S 15	ROADTEC-scoot.	56S	TL ε	80	ANGEL-scoot.	56S	TL ε	80	V475-Emperor {NEW}	56S	TL ε	64
	!	120/70 S 15					ROSSO-scoot.	56S	TL ε	82				
	!	130/80 - 15					ANGEL-scoot.	63S	TL ο	97	V224	63P	TL ο	73
	!	140/70 - 15					Sport-DEMON/rf.	69P	TL ο	102				
	16"	80/80 - 16					MT15-Mandrake/rf.	45J	TL ε	50	V144/rf.	46J	TL =	35
	!	90/80 - 16					MT15-Mandrake/rf.	51J	TL =	57	V144/rf.	52J	TL =	40
	!	90/80 - 16					ANGEL-scoot/rf.	51S	TL =	57	V396-Manhattan/rf.	51S	TL =	43
	!	100/80 - 16	ROADTEC-scoot.	50P	TL ε	70	ANGEL-scoot.	50P	TL ε	70	V396-Manhattan/rf.	50S	TL =	50
	!	110/70 P 16	ROADTEC-scoot.	52P	TL =	86	ANGEL-scoot.	52P	TL =	86				
	!	110/70 S 16	ROADTEC-scoot.	52S	TL ε	87	ANGEL-scoot.	52S	TL ε	87	V396-Manhattan	52S	TL =	62
	!	120/70 - 16					Sport-DEMON	57P	TL ε	89				
	!	120/80 - 16	ROADTEC-scoot.	60P	TL ο	83	ANGEL-scoot.	60P	TL ο	83	V396-Manhattan	60S	TL =	59
	!	130/70 P 16					ANGEL-scoot.	61P	TL ο	100				
	!	130/70 S 16	ROADTEC-scoot.	61S	TL ο	102	ANGEL-scoot.	61S	TL ο	102	V396-Manhattan	61S	TL =	75
!	130/80 - 16	ROADTEC-scoot.	64P	TL ο	107	ANGEL-scoot.	64P	TL ο	107					
!	140/70 - 16	ROADTEC-scoot.	65P	TL ο	98	ANGEL-scoot.	65P	TL ο	98	V396-Manhattan	65S	TL =	74	
SCOOTER "Rosso-RACE-SC" / Karoo-Street														
SCOOTER	12"	100/90 - 12					> ROSSO-SC/rf. (+RACE)	64P	TL ε	79	< RACE > SCOOTER			
	!	120/80 - 12					> ROSSO-SC (+RACE)	55P	TL ο	94				
	14"	140/70 P 14	KAROO-Street m+s	62P	TL ο	165	> ROSSO-SC (+RACE)	62S	TL ο	102				
	15"	120/70 P 15	KAROO-Street m+s	56P	TL ε	140	> ROSSO-SC (+RACE)	56S	TL ε	91				

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε	ο	=	TIMH	PIRELLI	index	TL	ε	ο	=	TIMH	PIRELLI	index	TL	ε	ο	=	TIMH		
SCOOTER (HRadial / SRadial / Rally-STR)																									
H R - S R	14"	120/70 HR 14	Feel-Free (HR)	55HR	TL	ε			121	ROSSO-scoot. (HR)	55HR	TL	ε			149									
	!	160/60 HR 14	Feel-Free (HR)	65HR	TL	ο			142	ROSSO-scoot. (HR)	65HR	TL	ο			176									
	15"	120/70 HR 15	Feel-Free (HR)	56HR	TL	ε			123	ROSSO-scoot. (HR)	56HR	TL	ε			152									
	!	160/60 HR 15	Feel-Free (HR)	67HR	TL	ο			148	ROSSO-scoot. (HR)	67HR	TL	ο			184			Sco.-Rally-STR m+s	67HR	TL	ο		207	
	16"	120/70 HR 16								ROSSO-scoot. (HR)	57HR	TL	ε			159									
	!	130/70 SR 16	ROADTEC-scoot. (SR)	61SR	TL	ο			143	ANGEL-scoot. (SR)	61SR	TL	ο			143									
	17"	120/70 HR 17								ROSSO-scoot. (HR)	58HR	TL	ε			143			Sco.-Rally-STR m+s	58HR	TL	ε		185	

Track--RACE (Slick)																									
S L I C K	17"	100/70 R 17								> SBKslick SC1 (RACE)	NHS	TL	ε		257										
	!	120/70 R 17								> SBKslick SC1>2 (RACE)	NHS	TL	ο		305										
	!	110/70 R 17								> SBKslick SC1 (RACE)	NHS	TL	ε		246										
	!	140/70 R 17								> SBKslick SC1>2 (RACE)	NHS	TL	ο		275										
	!	120/70 R 17	> RRslick K1>2 (RACE)	NHS	TL	ε			267	> SBKslick SC1>3 (RACE)	NHS	TL	ε		296										
	!	125/70 R 17	> RRslick K1 (RACE)	NHS	TL	ε			292	> SBKslick SC1>3 (RACE)	NHS	TL	ε		312										
	!	180/60 R 17	> RRslick K1>2 (RACE)	NHS	TL	ο			348																
	!	190/60 R 17								> SBKslick SCX>1 (RACE)	NHS	TL	ο		420										
	!	200/60 R 17	> RRslick K0>2 (RACE)	NHS	TL	ο			402	> SBKslick SC0>3 (RACE)	NHS	TL	ο		448										
	!	200/65 R 17	> RRslick K0 (RACE)	NHS	TL	ο			438	> SBKslick SCX>3 (RACE)	NHS	TL	ο		452										

< RACE >
SLICK

Track--RACE (SM--Supermoto)																									
S M	17"	125/75 R 420 <u>16,5</u>	> SMslick K1>2 (RACE)	NHS	TL	ε		215	> SM-RAIN (RACE)	NHS	TL	ε		246											
	!	125/75 R 17	> SMslick K1>2 (RACE)	NHS	TL	ε		211	> SM-RAIN (RACE)	NHS	TL	ε		246											
	!	165/55 R 17	> SMslick K0>2 (RACE)	NHS	TL	ο		275	> SM-RAIN (RACE)	NHS	TL	ο		322											

< RACE >
SuperMoto

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	VeeMoto	index	TL	ε ο =	TIMH
Track--DAYS (TD--Slick)																	
T D	17"	120/70 R 17	>	TDslick (RACE)	NHS	TL	ε	232									
	!	180/55 R 17	>	TDslick (RACE)	NHS	TL	ο	267									
	!	180/60 R 17	>	TDslick (RACE)	NHS	TL	ο	272									
	!	190/55 R 17	>	TDslick (RACE)	NHS	TL	ο	275									
	!	200/55 R 17	>	TDslick (RACE)	NHS	TL	ο	285									
														< RACE > <u>TD--SLICK</u>			

Track--RACE (Χαραχτά--Γόμεις)																	
Γ Ο Μ Ε Σ	17"	110/70 VR 17	>	RRχαραχ. K1 (RACE)	54V	TL	ε	274	>	ScorsaV4 SC1 (RACE)	54V	TL	ε	315			
	!	120/70 ZR 17	>	RRχαραχ. K1>2 (RACE)	(58W)	TL	ε	293	>	ScorsaV4 SC1>2 (RACE)	58V	TL	ε	349			
	!	140/70 VR 17	>	RRχαραχ. K1 (RACE)	66V	TL	ο	314	>	ScorsaV4 SC1 (RACE)	66V	TL	ο	363			
	!	180/60 ZR 17	>	RRχαραχ. K1>2 (RACE)	(75W)	TL	ο	379	>	ScorsaV4 SC0>2 (RACE)	75V	TL	ο	474			
	!	200/55 ZR 17	>	RRχαραχ. K1>2 (RACE)	(78W)	TL	ο	411	>	ScorsaV4 SC1>2 (RACE)	78V	TL	ο	495			
														< RACE > <u>ΧΑΡΑΧΤΑ</u>			

Track--ROAD (SP-V2 / SP-V4)																	
T - R O A D	17"	110/70 ZR 17								SuperCorsa--V4 {SP}	54W	TL	ε	211			
	!	120/70 ZR 17								SuperCorsa--V4 {SP}	(58W)	TL	ε	272			*SuperCorsa-V2 {SP} (58W) TL ε 163
	!	140/70 ZR 17								SuperCorsa--V4 {SP}	66W	TL	ο	244			
	!	150/60 ZR 17								SuperCorsa--V4 {SP}	66W	TL	ο	254			
	!	180/55 ZR 17								SuperCorsa--V4 {SP}	(73W)	TL	ο	310			*SuperCorsa-V2 {SP} (73W) TL ο 221
	!	190/50 ZR 17								SuperCorsa--V4 {SP}	(73W)	TL	ο	325			
	!	190/55 ZR 17								SuperCorsa--V4 {SP}	(75W)	TL	ο	333			*SuperCorsa-V2 {SP} (75W) TL ο 235
	!	200/55 ZR 17								SuperCorsa--V4 {SP}	(78W)	TL	ο	349			
!	200/60 ZR 17								SuperCorsa--V4 {SP}	(80W)	TL	ο	415				
														SP-V2 Special-Edition {Track + Road} {-25%			

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	PIRELLI	index	TL	ε ο =	TIMH	
Track--ROAD / HYPERSPORT																		
T R A C K - R O A D	17"	120/70 ZR 17	M9 RR Sportec	(58W)	TL	ε	204	Diablo-ROSSO IV	(58W)	TL	ε	215	ROSSO IV Corsa	(58W)	TL	ε	230	
	!	160/60 ZR 17	M9 RR Sportec	(69W)	TL	ο	255	Diablo-ROSSO IV	(69W)	TL	ο	269						
	!	180/55 ZR 17	M9 RR Sportec	(73W)	TL	ο	269	Diablo-ROSSO IV	(73W)	TL	ο	283	ROSSO IV Corsa	(73W)	TL	ο	303	
	!	180/60 ZR 17	M9 RR Sportec	(75W)	TL	ο	278						ROSSO IV Corsa	(75W)	TL	ο	314	
	!	190/50 ZR 17	M9 RR Sportec	(73W)	TL	ο	283	Diablo-ROSSO IV	(73W)	TL	ο	295	ROSSO IV Corsa	(73W)	TL	ο	318	
	!	190/55 ZR 17	M9 RR Sportec	(75W)	TL	ο	292	Diablo-ROSSO IV	(75W)	TL	ο	306	ROSSO IV Corsa	(75W)	TL	ο	326	
	!	200/55 ZR 17	M9 RR Sportec	(78W)	TL	ο	297	Diablo-ROSSO IV	(78W)	TL	ο	312	ROSSO IV Corsa	(78W)	TL	ο	343	
	!	200/60 ZR 17						Diablo-ROSSO IV	(80W)	TL	ο	322	ROSSO IV Corsa	(80W)	TL	ο	379	
	19"	120/70 ZR 19	M9 RR Sportec	60W	TL	ε	195											
	17"	170/60 ZR 17	M9 RR Sportec	72W	TL	ο	250											

SUPERSPORT (ZR)																	
S U P E R S P O R T	16"	130/70 ZR 16	M7 RR Sportec(CBR-old)	(61W)	TL	ε	163										
	17"	110/70 ZR 17	M7 RR Sportec	54W	TL	ε	123										
	!	120/60 ZR 17	M7 RR Sportec	(55W)	TL	ε	125										
	!	120/70 ZR 17	M7 RR Sportec	(58W)	TL	ε	133	Diablo-ROSSO III / D	(58W)	TL	ε	183					
	!	150/60 ZR 17	M7 RR Sportec	66W	TL	ο	153										
	!	160/60 ZR 17	M7 RR Sportec	(69W)	TL	ο	168	Diablo-ROSSO III	(69W)	TL	ο	230					
	!	180/55 ZR 17	M7 RR Sportec	(73W)	TL	ο	177	Diablo-ROSSO III	(73W)	TL	ο	242					
	!	190/50 ZR 17	M7 RR Sportec	(73W)	TL	ο	184	Diablo-ROSSO III	(73W)	TL	ο	253					
	!	190/55 ZR 17	M7 RR Sportec	(75W)	TL	ο	191	Diablo-ROSSO III	(75W)	TL	ο	263					
	!	240/45 ZR 17						Diablo-ROSSO III	(82W)	TL	ο	292					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				PIRELLI						
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
SUPERSPORT (HR / ZR)																	
S U P E R S P O R T	17"	110/70 <> 17	M5 Sportec (HR)	54H	TL	ε	109										
	!	120/70 <> 17	M5 Sportec (ZR)	(58W)	TL	ε	116	ROSSO II (ZR) K / D	(58W)	TL	ε	129	*ROSSO II (HR) 2823	58H	TL	###	114
	!	150/60 HR 17	M5 Sportec (HR)	66H	TL	ο	135						DOT				
	!	160/60 <> 17	M5 Sportec (ZR)	(69W)	TL	ο	148	ROSSO II (ZR)	(69W)	TL	ο	162	*ROSSO II (HR) 2022	69H	TL	###	103
	!	180/55 ZR 17	M5 Sportec (ZR)	(73W)	TL	ο	157	ROSSO II (ZR)	(73W)	TL	ο	170					
	!	190/50 ZR 17						ROSSO II (ZR)	(73W)	TL	ο	178					
	!	190/55 ZR 17						ROSSO II (ZR)	(75W)	TL	ο	183					
	!	200/50 ZR 17						ROSSO II (ZR)	(75W)	TL	ο	208					
Rosso-II (HR) Last-Edition {10% / 35%}																	

HYPERTOUR (Heavy / Sport / RoadTec--02 NEW)																	
H Y P E R T O U R	17"	120/70 ZR 17	RoadTec-01 (HWM)	(58W)	TL	ε	189	Angel-GT2 (A)	(58W)	TL	ε	235	METZELER RoadTec--02 (NEW)				
	!	180/55 ZR 17	RoadTec-01 (HWM)	(73W)	TL	ο	249	Angel-GT2 (A)	(73W)	TL	ο	313					
	!	190/50 ZR 17	RoadTec-01 (HWM)	(73W)	TL	ο	260	Angel-GT2 (A)	(73W)	TL	ο	326					
	!	190/55 ZR 17	RoadTec-01 (HWM)	(75W)	TL	ο	270	Angel-GT2 (A)	(75W)	TL	ο	334					
	17"	120/70 ZR 17	RoadTec-01 (SE-sport)	(58W)	TL	ε	181	Angel-GT2	(58W)	TL	ε	226	RoadTec-02 (NEW)	(58W)	TL	ε	202
	!	160/60 ZR 17	RoadTec-01 (SE-sport)	(69W)	TL	ο	228	Angel-GT2	(69W)	TL	ο	283	RoadTec-02 (NEW)	(69W)	TL	ο	254
	!	180/55 ZR 17	RoadTec-01 (SE-sport)	(73W)	TL	ο	241	Angel-GT2	(73W)	TL	ο	297	RoadTec-02 (NEW)	(73W)	TL	ο	269
	!	190/50 ZR 17	RoadTec-01 (SE-sport)	(73W)	TL	ο	251					RoadTec-02 (NEW)	(73W)	TL	ο	280	
!	190/55 ZR 17	RoadTec-01 (SE-sport)	(75W)	TL	ο	260					RoadTec-02 (NEW)	(75W)	TL	ο	290		
19"	110/80 VR 19											RoadTec-02 (NEW)	59V	TL	ε	226	
17"	150/70 VR 17											RoadTec-02 (NEW)	69V	TL	ο	264	
19"	120/70 VR 19	RoadTec-01 (SE-sport)	60W	TL	ε	209	Angel-GT2	60V	TL	ε	254	RoadTec-02 (NEW)	60V	TL	ε	233	
17"	170/60 VR 17	RoadTec-01 (SE-sport)	72W	TL	ο	245	Angel-GT2	72V	TL	ο	294	RoadTec-02 (NEW)	72V	TL	ο	273	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH
SUPERTOUR														
SUPER TOUR	17"	120/70 ZR 17	Z8-RoadTec (Interact)	(58W)	TL	ε	142	Angel-GT	(58W)	TL	ε	192		
	!	120/70 ZR 17						Angel-GT (A)	(58W)	TL	ε	199		
	!	160/60 ZR 17	Z8-RoadTec (Interact)	(69W)	TL	ο	176	Angel-GT	(69W)	TL	ο	235		
	!	170/60 ZR 17	Z8-RoadTec (Interact)	(72W)	TL	ο	189							
	!	180/55 ZR 17	Z8-RoadTec (Interact)	(73W)	TL	ο	189	Angel-GT	(73W)	TL	ο	251		
	!	180/55 ZR 17						Angel-GT (A)	(73W)	TL	ο	262		
	!	190/50 ZR 17	Z8-RoadTec (Interact)	(73W)	TL	ο	195	Angel-GT (A)	(73W)	TL	ο	275		
	!	190/55 ZR 17						Angel-GT (A)	(75W)	TL	ο	283		
	18"	110/80 ZR 18	Z8-RoadTec (Interact)	(58W)	TL	ε	155							
	!	120/70 ZR 18	Z8-RoadTec (Interact)	(59W)	TL	ε	150	Angel-GT	(59W)	TL	ε	200		
	!	160/60 ZR 18	Z8-RoadTec (Interact)	(70W)	TL	ο	187							
	19"	110/80 VR 19						Angel-GT	59V	TL	ε	175		
17"	150/70 <> 17	Z8-RoadTec (Interact)	(69W)	TL	ο	184	Angel-GT	69V	TL	ο	203			

SPORTOUR														
S T O U R	17"	120/70 ZR 17	*Z6-RoadTec (Sportour)	(58W)	TL	ε	116	Angel-ST	(58W)	TL	ε	148		
	!	160/60 ZR 17	*Z6-RoadTec (Sportour)	(69W)	TL	ο	146	Angel-ST	(69W)	TL	ο	185		
	!	180/55 ZR 17	*Z6-RoadTec (Sportour)	(73W)	TL	ο	153	Angel-ST	(73W)	TL	ο	195		
	!	190/50 ZR 17	*Z6-RoadTec (Sportour)	(73W)	TL	ο	158	Angel-ST	(73W)	TL	ο	203		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto						
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
CUSTOM																	
CUSTOM	15"	130/90 - 15	ME77-Perfect	66S	TL	ο	143	MT66-Route	66S	TT	ο	133	V195 Custom	66S	TT	ο	97
	!	140/90 - 15	ME888-Marathon	70HB	TL	ο	260	MT66-Route	70H	TL	ο	177	V393R Cruze	76H	TL	ο	119
	!	150/90 - 15	ME888-Marathon/rf.	80HB	TL	ο	280										
	!	170/80 - 15	ME888-Marathon	77HB	TL	ο	307	Night-DRAGON GT	77HB	TL	ο	239	V393R Cruze	77H	TL	ο	146
	16"	130/90 - 16	ME888-Marathon	67HB	TL	ε	238	Night-DRAGON	67HB	TL	ε	196					
	!	130/90 - 16	ME888-Marathon/rf.	73HB	TL	ο	302	Night-DRAGON GT/rf.	73HB	TL	ο	247	V393R Cruze	73H	TL	ο	123
	!	130/90 - 16	ME888-Marath(WW)	67H	TL	ε	315										
	!	130/90 - 16	ME888-Marath(WW)/rf	73HB	TL	ο	405										
	!	140/90 - 16	ME888-Marathon/rf.	77HB	TL	ο	315										
	!	150/80 - 16	ME888-Marathon	71H	TL	ε	292	Night-DRAGON	71HB	TL	ε	239					
CUSTOM	!	150/80 - 16	ME888-Marathon/rf.	77HB	TL	ο	311	Night-DRAGON GT/rf.	77HB	TL	ο	251					
	!	160/80 - 16	ME888-Marathon	75HB	TL	ο	353										
	!	170/70 - 16	ME888-Marathon	75HB	TL	ο	337										
	17"	120/70 - 17	ME888-Marathon	58VB	TL	ε	220										
	!	120/90 - 17	ME888-Marathon	64S	TT	ε	188	MT66-Route	64S	TT	ε	123					
	!	160/70 - 17	ME888-Marathon/rf.	79VB	TL	ο	324										
	!	170/60 - 17	ME888-Marathon/rf.	78VR	TL	ο	402										
	18"	3.00 - 18	ME77-Perfect	47S	TL	=	99	City-DEMON	47S	TL	ε	92					
	!	100/90 - 18	ME888-Marathon	56H	TL	ε	206										
	!	120/70 - 18	ME888-Marathon	(59W)	TL	ε	337										
CUSTOM	!	130/70 - 18	ME888-Marathon	63HB	TL	ε	223										
	19"	100/90 - 19	ME888-Marathon	57H	TL	ε	214	Night-DRAGON	57H	TL	ε	164	V393F Cruze	57H	TL	ε	89
	!	110/90 - 19	ME888-Marathon	62H	TL	ε	231										
	21"	80/90 - 21	ME888-Marathon	48H	TL	ε	201										
	!	90/90 - 21	ME888-Marathon	54H	TL	ε	214										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			index	TL	εο	TIMH	index	TL	εο	TIMH	index	TL	εο	TIMH
CUSTOM "SPECIAL--ORDERS" (15" εως 150/70--18")														
C U S T O M - S P E C I A L - O R D E R S	15"	160/80 - 15	ME888-Marathon	74S	TT	o	226							
	!	170/80 - 15	ME888-Marath.(WW)	77HB	TL	o	408							
	!	180/70 - 15	ME888-Marathon	76HB	TL	o	285							
	!	200/70 - 15	ME888-Marathon	82HB	TL	o	323							
	16"	130/90 - 16	Cruisetec/rf.	73HB	TL	ε	301							
	!	130/90 - 16	Cruisetec/rf.	73HB	TL	o	301							
	!	140/90 - 16	ME888-Marath(WW)/rf	77HB	TL	o	422							
	!	150/80 - 16	Cruisetec	71H	TL	ε	291							
	!	150/80 - 16	Cruisetec/rf.	77HB	TL	o	310							
	!	180/60 - 16	ME888 / Cruisetec/rf.	80HR	TL	o	386							
	!	180/65 - 16	ME888 / Cruisetec/rf.	81HB	TL	o	357							
	!	180/70 - 16	ME888 / Cruisetec	77VR	TL	o	374							
	!	200/55 - 16	Cruisetec/rf.	77HR	TL	o	555							
	!	200/60 - 16	ME888-Marathon	79VR	TL	o	421							
	!	240/50 - 16	Cruisetec	84VR	TL	o	469							
	17"	130/80 - 17	ME888 / Cruisetec	65HB	TL	ε	222							
	!	140/75 - 17	ME888-Marathon	67VR	TL	ε	324							
	!	140/80 - 17	ME888-Marathon	69H	TL	ε	268							
	!	150/80 - 17	Cruisetec	72VR	TL	ε	329							
	!	160/70 - 17	Cruisetec/rf.	79VB	TL	o	323							
!	200/55 - 17	ME888 / Cruisetec	78VR	TL	o	420								
!	210/50 - 17	ME888-Marathon	(78W)	TL	o	474								
18"	130/70 - 18	ME888-Marathon	63VR	TL	ε	311								
!	130/70 - 18	Cruisetec	63HR	TL	ε	320								
!	140/70 - 18	ME888-Marathon/rf.	73HB	TL	ε	274								
!	150/70 - 18	ME888 / Cruisetec/rf.	76HB	TL	o	346								

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto					
			index	TL	εο	=	TIMH	index	TL	εο	=	TIMH	index	TL	εο	=
CUSTOM "SPECIAL--ORDERS" (18" εως 21")																
SPECIAL-ORDERS	18"	180/55 - 18	ME888 / Cruisetec/rf.	80HB	TL	ο	399									
	!	200/50 - 18	ME888-Marathon/rf.	82HR	TL	ο	443									
	!	210/40 - 18	ME888-Marathon	73HR	TL	ο	413									
	!	240/40 - 18	ME888 / Cruisetec	(79VR)	TL	ο	451									
	!	260/40 - 18	ME888 / Cruisetec	(84VR)	TL	ο	477									
	!	280/35 - 18	ME888-Marathon	(84VR)	TL	ο	502									
	!	300/35 - 18	ME888-Marathon	(87VR)	TL	ο	535									
	19"	100/90 - 19	Cruisetec	57H	TL	ε	214									
	!	100/90 - 19	ME888-Marath.(WW)	57H	TL	ε	289									
	!	110/90 - 19	Cruisetec	62H	TL	ε	231									
	!	120/70 - 19	ME888 / Cruisetec	(60W)	TL	ε	352									
	!	130/60 - 19	ME888 / Cruisetec	61HB	TL	ε	365									
	21"	120/70 - 21	ME888-Marathon	62V	TL	ε	276									

STREET "S / H / V" (15" εως 16")																	
STREET	15"	130/90 - 15						MT66-Route	66S	TT	ο	133	V195 Custom	66S	TT	ο	97
	!	130/90 - 15	ME77-Perfect	66S	TL	ο	143	City-DEMON	66S	TL	ο	139					
	!	140/90 - 15	ME77-Perfect	70S	TT	ο	149	MT66-Route	70H	TL	ο	177					
	16"	3.50 - 16											V159	66P	TT	ο	55
	!	100/90 - 16	RoadTec-01	54H	TL	ε	136										
	!	110/90 - 16	ME77-Perfect	59S	TT	ε	98										
	!	110/90 - 16	ME77-Perfect	59S	TL	ο	119										
	!	120/90 - 16	ME77-Perfect	63H	TL	ο	133	City-DEMON	63S	TL	ο	131	V195 Custom	63S	TL	ο	94
	!	130/90 - 16	RoadTec-01	67H	TL	ε	162										
	!	130/90 - 16	RoadTec-01	67V	TL	ο	185										
	!	150/80 - 16	RoadTec-01	71H	TL	ο	178										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο	=	TIMH	PIRELLI	index	TL	εο	=	TIMH	VeeMoto	index	TL	εο	=	TIMH		
STREET "S / H / V" (17")																						
S T R E E T	17"	90/80 - 17	"ANGEL-City--SuperΠαπιά"						>	ANGEL-City	46S	TL	=	79								
	!	120/70 - 17							>	ANGEL-City	58S	TL	=	101								
	!	90/80 - 17	"ROSSO-Sport--SuperΠαπιά"						>	ROSSO-Sport	46S	TL	=	95								
	!	120/70 - 17							>	ROSSO-Sport	58S	TL	=	132								
S T R E E T	17"	3.00 - 17	ME22-sport/rf.	50P	TT	=	55								V158	47P	TT	=	41			
	!	80/90 - 17							ANGEL-City (Παπί)	44S	TL	o	44									
	!	80/100 - 17							ANGEL-City	46S	TL	ε	94									
	!	90/90 - 17							ANGEL-City	49S	TL	=	95									
	!	100/70 - 17							ANGEL-City	49S	TL	o	97									
	!	100/80 <> 17	RoadTec-01	52H	TL	ε	104		ANGEL-City	52S	TL	ε/o	103		V396-Manhattan	52P	TL	ε	67			
	!	100/80 - 17							ROSSO-Sport	52S	TL	=	109									
	!	100/90 - 17							ANGEL-City	55S	TL	o	108									
	!	110/70 - 17							ANGEL-City	54S	TL	=	105									
	!	110/70 - 17	RoadTec-01	54H	TL	ε	123		ROSSO-Sport	54S	TL	=	112									
S T R E E T	!	110/80 - 17	RoadTec-01	57H	TL	ε	135															
	!	130/70 - 17	RoadTec-01	62H	TL	o	153		ANGEL-City	62S	TL	o	115		V396-Manhattan	62P	TL	o	82			
	!	130/70 - 17							ROSSO-Sport	62S	TL	o	127									
	!	130/80 - 17	RoadTec-01	65H	TL	o	169															
	!	140/70 - 17	*SPORTEC-Street 2	66S	TL	=	137		ANGEL-City	66S	TL	o	129									
	!	140/70 - 17	RoadTec-01	66H	TL	o	174		ROSSO-Sport	66S	TL	o	138									
	!	140/80 - 17	RoadTec-01	69V	TL	o	196															
	!	150/60 - 17							ANGEL-City	66S	TL	o	140									
	!	150/60 - 17							ROSSO-Sport	66S	TL	o	149									
	!	150/70 - 17	RoadTec-01	69V	TL	o	204															

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER			PIRELLI			VeeMoto					
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH
STREET "S / H / V" (18" εως 19")														
S T R E E T	18"	2.75 - 18	ME22-sport/rf.	48P	TL =	60	SUPER-City {NEW}	42P	TL ε	60	V160/rf.	48P	TL =	44
	!	3.00 - 18	ME22-sport/rf.	52P	TL =	79					V160	47P	TL =	52
	!	3.00 - 18	ME77-Perfect	47S	TL =	99	City-DEMON	47S	TL ε	92				
	!	3.25 - 18	ME22-sport/rf.	59P	TT =	84								
	!	3.50 - 18	ME22-sport/rf.	62P	TT =	95								
	!	80/100 - 18	RoadTec-01	47P	TL ε	96								
	!	90/90 - 18	RoadTec-01	51P	TL o	105	SUPER-City {NEW}	51P	TL o	79	V160	57P	TT =	54
	!	100/90 - 18	RoadTec-01	56H	TL ε	142					V160	56S	TL =	73
	!	100/90 - 18	RoadTec-01	56V	TL ε	153								
	!	110/90 - 18	RoadTec-01	61H	TL o	161								
	!	120/80 - 18	RoadTec-01	62H	TL o	168								
	!	130/80 - 18	Lasertec	(66V)	TL o	199								
	!	100/90 - 19	Lasertec	57V	TL ε	175								
	!	90/90 <> 19	RoadTec-01	52H	TL ε	135					V158	52S	TT ε	65
!	100/90 - 19	RoadTec-01	57V	TL ε	157									

ENDURO

ENDURO--ST+ (MT60--RS)

M T 6 0	17"	120/70 ZR 17				MT60-RS	(58W)	TL ε	189				
	!	160/60 HR 17				MT60-RS	69HR	TL o	248				
	!	180/55 ZR 17				MT60-RS	(73W)	TL o	295				
	18"	110/80 HR 18				MT60-RS	58HR	TL ε	237				
	!	120/70 ZR 18				MT60-RS	(59W)	TL ε	248				

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				PIRELLI						
			index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH	index	TL	ε ο =	TIMH			
ENDURO--ST+ (Tourance--NEXT 2 / Scorpion-Trail II / Trail-III NEW)																	
E N D U R O - S T +	17"	120/70 ZR 17					Scorpion-Trail II	(58W)	TL	ε	168	Sco.Trail III {NEW}	(58W)	TL	ε	197	
	!	130/80 VR 17	Tourance-NEXT 2	65V	TL	ο	179	Scorpion-Trail II	65V	TL	ο	168	Sco.Trail III {NEW}	65V	TL	ο	194
	!	140/80 VR 17	Tourance-NEXT 2	69V	TL	ο	203	Scorpion-Trail II	69V	TL	ο	189	Sco.Trail III {NEW}	69V	TL	ο	217
	!	160/60 ZR 17					Scorpion-Trail II	(69W)	TL	ο	183	Sco.Trail III {NEW}	(69W)	TL	ο	203	
	!	180/55 ZR 17					Scorpion-Trail II	(73W)	TL	ο	249	Sco.Trail III {NEW}	(73W)	TL	ο	287	
	!	190/55 ZR 17					Scorpion-Trail II	(75W)	TL	ο	259	Scorpion-Trail III {NEW}					
	18"	100/90 - 18										Sco.Trail III {NEW}	56V	TL	ε	142	
	!	150/70 VR 18	Tourance-NEXT 2	70V	TL	ο	185	Scorpion-Trail II	70V	TL	ο	172	Sco.Trail III {NEW}	70W	TL	ο	226
	19"	100/90 - 19	Tourance-NEXT 2	57V	TL	ε	158					Sco.Trail III {NEW}	57V	TL	ε	165	
	21"	90/90 - 21	Tourance-NEXT 2	54V	TL	ε	149	Scorpion-Trail II	54V	TL	ε	139	Sco.Trail III {NEW}	(54V)	TL	ε	172
19"	110/80 VR 19	Tourance-NEXT 2	59V	TL	ε	159	Scorpion-Trail II	59V	TL	ε	149	Sco.Trail III {NEW}	59V	TL	ε	172	
17"	150/70 VR 17	Tourance-NEXT 2	69V	TL	ο	198	Scorpion-Trail II	69V	TL	ο	185	Sco.Trail III {NEW}	69V	TL	ο	213	
19"	120/70 VR 19	Tourance-NEXT 2 / B	60V	TL	ε	160	Scorpion-Trail II	60V	TL	ε	149	Sco.Trail III {NEW}	60V	TL	ε	173	
17"	170/60 VR 17	Tourance-NEXT 2 / B	72V	TL	ο	204	Scorpion-Trail II	72V	TL	ο	189	Sco.Trail III {NEW}	72V	TL	ο	217	
19"	120/70 ZR 19	Tourance-NEXT 2	60W	TL	ε	164	Scorpion-Trail II D	60W	TL	ε	151	Sco.Trail III / D {NEW}	60W	TL	ε	175	
17"	170/60 ZR 17	Tourance-NEXT 2	72W	TL	ο	210	Scorpion-Trail II D	72W	TL	ο	194	Sco.Trail III / D {NEW}	72W	TL	ο	225	
ENDURO--ST+ (Tourance--NEXT)																	
E N D U R O - S T +	19"	110/80 VR 19	*Tourance-NEXT	59V	TL	ε	149										
	17"	150/70 VR 17	*Tourance-NEXT	69V	TL	ο	187										
	19"	120/70 VR 19	*Tourance-NEXT	60V	TL	ε	149										
	17"	170/60 VR 17	*Tourance-NEXT	72V	TL	ο	190										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH
ENDURO--ST (Tourance--NEW)														
E N D U R O - S T	17"	120/90 - 17	Tourance (NEW)	64S	TT	o	119							
	!	130/80 S 17	Tourance (NEW)	65S	TT	o	135							
	!	130/80 SR 17	Tourance (NEW)	65S	TL	o	137							
	!	130/80 HR 17	Tourance (NEW)	65H	TL	o	146							
	!	140/80 HR 17	Tourance (NEW)	69H	TL	o	164							
	18"	120/80 - 18	Tourance (NEW)	62S	TT	o	108							
	19"	100/90 S 19	Tourance (NEW)	57S	TT	ε	119							
	!	100/90 H 19	Tourance (NEW)	57H	TL	ε	128							
	21"	90/90 S 21	Tourance (NEW)	54S	TT	ε	119							
	!	90/90 H 21	Tourance (NEW)	54H	TL	ε	128							
	19"	110/80 H 19	Tourance (NEW)	59H	TL	ε	121							
	17"	150/70 HR 17	Tourance (NEW)	69H	TL	o	168							
	19"	110/80 VR 19	Tourance (NEW)	59V	TL	ε	128							
	17"	150/70 VR 17	Tourance (NEW)	69V	TL	o	172							

KAROO--4 / Scorpion-Rally "DESERT"																	
K A R O O	17"	130/80 - 17	KAROO-4 m+s (RAD)	65Q	TL	o	212					V474 Hitman-55 (A/T)	65Q	TL	o	103	
	!	140/80 - 17	KAROO-4 m+s (RAD)	69Q	TL	o	224										
	18"	140/80 - 18	KAROO-4 m+s	70S	TL	o	216	Sco. Rally Race / Desert	70R	TT	o	228	V474 Hitman-55 (A/T)	70Q	TL	o	115
	!	150/70 - 18	KAROO-4 m+s (RAD)	70T	TL	o	227						V474 Hitman-55 (A/T)	70Q	TL	o	132
	19"	100/90 - 19	KAROO-4 m+s	57S	TL	ε	209										
	21"	90/90 - 21	KAROO-4 m+s	54T	TL	ε	174	Sco. Rally Race / Desert	54R	TT	ε	173	V474 Hitman-55 (A/T)	54Q	TL	ε	89
	19"	110/80 - 19	KAROO-4 m+s (RAD)	59T	TL	ε	212						V474 Hitman-55 (A/T)	59Q	TL	ε	93
	17"	150/70 - 17	KAROO-4 m+s (RAD)	69T	TL	o	235						V474 Hitman-55 (A/T)	69Q	TL	o	128
	19"	120/70 - 19	KAROO-4 m+s (RAD)	60T	TL	ε	212										
	17"	170/60 - 17	KAROO-4 m+s (RAD)	72T	TL	o	266										

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto						
			index	TL	εο =	TIMH	index	TL	εο =	TIMH	index	TL	εο =	TIMH			
ENDURO--AT																	
E N D U R O - A T	14"	180/80 - 14									V275 (A/T) {Rear}	78P	TT	o	114		
	16"	120/90 - 16									V163 (A/T)	63P	TL	o	87		
	17"	3.00 - 17									V022 (A/T)	48R	TT	=	44		
	!	4.60 - 17									V022 (A/T)	62R	TT	o	76		
	!	110/90 - 17								MT60 (A/T)	60P	TT	o	132			
	!	120/90 - 17	Sahara-3 (A/T)	64S	TT	o	143	MT60 (A/T)	64S	TT	o	143	V163 (A/T)	64T	TT	o	92
	!	130/80 - 17	Sahara-3 (A/T) MST	65S	TT	o	146	MT60 (A/T) MST	65H	TL	o	146	V163 (A/T)	65S	TL	o	99
	!	130/80 - 17	Sahara-3 (A/T)	65T	TL	o	158										
	!	140/80 - 17	Sahara-3 (A/T) MST	69H	TT	o	162	MT60 (A/T) MST	69H	TL	o	162					
	18"	3.00 - 18										V022 (A/T)	52R	TT	=	50	
!	4.10 - 18										V221 (A/T)	60P	TT	o	76		
!	4.60 - 18										V221 (A/T)	63P	TT	o	85		
!	120/80 - 18	Sahara-3 (A/T) MST	62S	TT	o	139											
!	130/80 - 18										V274 (A/T) {Front}	66P	TT	ε	85		
!	140/80 - 18	Sahara-3 (A/T) MST	70S	TT	o	162											
!	150/70 VR 18						*Sco. MT90 (A/T)	70V	TL	o	213						
E N D U R O - A T	19"	2.75 - 19									V022 (A/T)	49R	TT	=	40		
	!	90/90 - 19								MT60 (A/T)	52P	TT	ε	105			
	!	90/100 - 19									V307 (A/T)	52P	TL	ε	76		
	!	100/90 - 19								MT60 (A/T)	57H	TL	ε	121			
	21"	2.75 - 21									V221 (A/T)	45P	TT	ε	50		
	!	3.00 - 21									V221 (A/T)	51P	TT	ε	58		
	!	90/90 - 21	Sahara-3 (A/T) MST	54S	TT	ε	122	MT60 (A/T) MST	54H	TL	ε	122	V163 (A/T)	54S	TL	ε	77
	!	90/90 - 21	Sahara-3 (A/T) MST	54H	TL	ε	131	*Sco. MT90 (A/T)	54V	TL	ε	155					

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto					
			index	TL	ε	ο	TIMH	index	TL	ε	ο	TIMH	index	TL	ε	ο
ENDURO--Street / Rally																
E N D - S T R	17"	110/70 <> 17	KAROO-Street m+s	54S	TL	ε	201	Sco.-Rally-STR m+s	54H	TL	ε	184				
	!	120/70 <> 17	KAROO-Street m+s	58V	TL	ε	206	Sco.-Rally-STR m+s	58H	TL	ε	185				
	!	130/80 VR 17	KAROO-Street m+s	65V	TL	ο	243	Sco.-Rally-STR m+s	65V	TL	ο	232				
	!	140/70 - 17	KAROO-Street m+s	66S	TL	ο	202									
	!	140/80 VR 17	KAROO-Street m+s	69V	TL	ο	238	Sco.-Rally-STR m+s	69V	TL	ο	234				
	!	150/60 HR 17						Sco.-Rally-STR m+s	66H	TL	ο	213				
	!	180/55 VR 17	KAROO-Street m+s	73V	TL	ο	333	Sco.-Rally-STR m+s	73V	TL	ο	318				
	18"	110/80 HR 18						Sco.-Rally-STR m+s	58H	TL	ε	197				
	!	150/70 VR 18	KAROO-Street m+s	70V	TL	ο	235	Sco.-Rally-STR m+s	70V	TL	ο	228				
	19"	100/90 - 19	KAROO-Street m+s	57V	TL	ε	208	Sco.-Rally-STR m+s	57V	TL	ε	199				
	21"	90/90 - 21	KAROO-Street m+s	54V	TL	ε	179	Sco.-Rally-STR m+s	54V	TL	ε	174				
	19"	110/80 VR 19	KAROO-Street m+s	59V	TL	ε	219	Sco.-Rally-STR m+s	59V	TL	ε	208				
	17"	150/70 VR 17	KAROO-Street m+s	69V	TL	ο	243	Sco.-Rally-STR m+s	69V	TL	ο	233				
	19"	120/70 VR 19	KAROO-Street m+s	60V	TL	ε	217	Sco.-Rally-STR m+s	60V	TL	ε	209				
17"	170/60 VR 17	KAROO-Street m+s	72V	TL	ο	275	Sco.-Rally-STR m+s	72V	TL	ο	266					

ENDURO XC (Mid-HARD)																
X C	18"	100/100 - 18						Scorpion-XC (mid-HARD)	59R	TT	ο	109				
	!	110/100 - 18						Scorpion-XC (mid-HARD)	64M	TT	ο	116				
	!	140/80 - 18						Scorpion-XC (mid-HARD)	70M	TT	ο	124				
	21"	80/100 - 21						Scorpion-XC (mid-HARD)	51R	TT	ε	89				

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH
ENDURO (FIM)														
E N D U R O - F I M	18"	110/80 - 18	MCE-6days (MEDIUM)	58R	o	124								
	!	120/90 - 18	MCE-6days (MEDIUM)	65M	o	126								
	!	130/90 - 18	MCE-6days (Standard)	69M	o	129								
	!	140/80 - 18	MCE-6days (ExtraSOFT)	70M	white o	148								
	!	140/80 - 18	MCE-6days (SuperSOFT)	70M	green o	145								
	!	140/80 - 18	MCE-6days (SOFT)	70M	orange o	136								
	!	140/80 - 18	MCE-6days (MEDIUM)	70M	red o	129								
	!	140/80 - 18	MCE-6days (Standard)	70M	o	129					V211 (FIM)	70R	FIM o	83
	21"	80/90 - 21	MCE-6days (Standard)	48R	ε	87								
	!	90/90 - 21	MCE-6days (SOFT)	54M	orange ε	99								
	!	90/90 - 21	MCE-6days (Standard)	54R	ε	92					V211 (FIM)	54R	FIM ε	58
	!	90/100 - 21	MCE-6days (SuperSOFT)	57M	green ε	119								
!	90/100 - 21	MCE-6days (Standard)	57R	ε	107									

ENDURO (Rally--Cross)															
R A L L Y - C R O S S	17"	4.10 - 17										V147 (Rally-Cross)	67P	TT o	59
	!	120/90 - 17					MT21 Rally-Cross	64R	TT o	121					
	!	130/90 - 17					MT21 Rally-Cross	68P	TT o	128		V147 (Rally-Cross)	68P	TT o	93
	18"	110/80 - 18					MT21 Rally-Cross	58P	TT o	92					
	!	120/80 - 18					MT21 Rally-Cross	62R	TT o	117					
	!	120/90 - 18					MT21 Rally-Cross	65R	TT o	124		V147 (Rally-Cross)	69R	TT o	89
	!	130/90 - 18					MT21 Rally-Cross	69R	TT o	128					
	!	140/80 - 18					MT21 Rally-Cross	70R	TT o	130		V147 (Rally-Cross)	70R	TT o	92
	21"	80/90 - 21					MT21 Rally-Cross	48P	TT ε	71					
	!	90/90 - 21					MT21 Rally-Cross	54R	TT ε	83		V147 (Rally-Cross)	54R	TT ε	59

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο	=	TIMH	PIRELLI	index	TL	εο	=	TIMH	VeeMoto	index	TL	εο	=	TIMH		
CROSS (JUNIOR Mid-SOFT)																						
J U N I O R - M X	10"	2.50 - 10	< RACE--Junior > Mid--SOFT						> MX32 (RACE Mid-SOFT)	33J	TT	ε			52	> V140 (Mid-SOFT)	33J	TT	=			24
	!	2.75 - 10							> MX32 (RACE Mid-SOFT)	37J	TT	ο			81							
	12"	60/100 - 12							> MX32 (RACE Mid-SOFT)	36M	TT	ε			60							
	!	80/100 - 12							> MX32 (RACE Mid-SOFT)	50M	TT	ο			92	> V140 (Mid-SOFT)	41M	TT	ο		44	
	14"	60/100 - 14							> MX32 (RACE Mid-SOFT)	29M	TT	ε			61							
	!	90/100 - 14							> MX32 (RACE Mid-SOFT)	49M	TT	ο			101							
	16"	90/100 - 16							> MX32 (RACE Mid-SOFT)	51M	TT	ο			106	> V140 (Mid-SOFT)	51M	TT	ο		59	
	17"	70/100 - 17							> MX32 (RACE Mid-SOFT)	40M	TT	ε			76	> V140 (Mid-SOFT)	40M	TT	=		40	
19"	70/100 - 19	> MX32 (RACE Mid-SOFT)	42M	TT	ε			86	> V140 (Mid-SOFT)	42M	TT	ε		45								

CROSS (Mid-HARD)																				
M I D - H A R D	18"	100/100 - 18	MC360 (Mid-HARD)	59M	TT	ο		109							Force A/T (Mid-HARD)	59M	TT	ο		76
	!	110/100 - 18	MC360 (Mid-HARD)	64M	TT	ο		114							Force A/T (Mid-HARD)	64M	TT	ο		79
	!	120/100 - 18	MC360 (Mid-HARD)	68M	TT	ο		118												
	!	140/80 - 18	MC360 (Mid-HARD)	70M	TT	ο		126												
	19"	100/90 - 19							MX-EXTRA (Mid-HARD)	57M	TT	ο		109	V500 (Mid-HARD)	57M	TT	ο		78
	!	110/90 - 19	*MC360 (Mid-HARD)	62M	TT	ο		117	MX-EXTRA (Mid-HARD)	62M	TT	ο		117	V500 (Mid-HARD)	62M	TT	ο		84
	!	120/80 - 19	*MC360 (Mid-HARD)	63M	TT	ο		121												
	21"	80/100 - 21							MX-EXTRA (Mid-HARD)	51M	TT	ε		87	Force/500 (Mid-HARD)	51M	TT	ε		63
!	90/90 - 21	MC360 (Mid-HARD)	54M	TT	ε		93													

CROSS (Mid-HARD / RACE)																				
R A C E	19"	100/90 - 19	> MC360R (Mid-HARD)	NHS	TT	ο		115	> MX32 (Mid-HARD)	NHS	TT	ο		124	< RACE > Mid--HARD					
	!	110/90 - 19	> MC360R (Mid-HARD)	NHS	TT	ο		120	> MX32 (Mid-HARD)	NHS	TT	ο		129						
	!	120/80 - 19	> MC360R (Mid-HARD)	NHS	TT	ο		124	> MX32 (Mid-HARD)	NHS	TT	ο		134						
	21"	80/100 - 21	> MC360R (Mid-HARD)	MST	TT	ε		92	> MX32 (Mid-HARD)	MST	TT	ε		99						

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH	index	TL	ε 0 =	TIMH
CROSS (Mid-SOFT)														
M - S O F T	18"	100/100 - 18	MC360 (Mid-SOFT)	59M	TT	o	109							
	!	110/100 - 18	MC360 (Mid-SOFT)	64M	TT	o	114							
	!	120/80 - 18	MC360 (Mid-SOFT)	62R	TT	o	114							
	!	120/100 - 18	MC360 (Mid-SOFT)	68M	TT	o	118							
	!	140/80 - 18	MC360 (Mid-SOFT)	70M	TT	o	126							
	21"	90/90 - 21	MC360 (Mid-SOFT)	54M	TT	ε	93							

CROSS (Mid-SOFT / RACE)															
R A C E	19"	100/90 - 19	> MC360R (Mi-SOFT)	NHS	TT	o	118	> MX32 (Mid-SOFT)	NHS	TT	o	129	< RACE > <u>Mid--SOFT</u>		
	!	110/85 - 19					> MX32 (Mid-SOFT)	NHS	TT	o	127				
	!	110/90 - 19	> MC360R (Mi-SOFT)	NHS	TT	o	123	> MX32 (Mid-SOFT)	NHS	TT	o	135			
	!	120/80 - 19	> MC360R (Mi-SOFT)	NHS	TT	o	127	> MX32 (Mid-SOFT)	NHS	TT	o	139			
	!	120/90 - 19					> MX32 (Mid-SOFT)	NHS	TT	o	143				
	21"	80/100 - 21	> MC360R (Mi-SOFT)	MST	TT	ε	96	> MX32 (Mid-SOFT)	MST	TT	ε	103			
	!	90/100 - 21					> MX32 (Mid-SOFT)	M+S	TT	ε	108				

MOUSSE (Enduro / Cross)														
M O U S S E	18"	140/80 - 18	MOUSSE (E-18H1)	End-Med.	METZ		184							
	21"	90/90 - 21	MOUSSE (E-21C1)	End-Med.	METZ		184							
	!	90/100 - 21	MOUSSE (E-21C2)	End-Med.	METZ		184							
	19"	110/90 - 19						MOUSSE (X-19E1)	MX-Med.	PIR		184		
	!	120/80 - 19						MOUSSE (X-19F1)	MX-Med.	PIR		184		
	21"	80/100 - 21						MOUSSE (X-21B2)	MX-Med.	PIR		184		
	GEL	GEL--Mousse	MOUSSE--GEL (Can x 1 Kg.)	METZELER			53	MOUSSE--GEL (Can x 1 Kg.)	PIRELLI			53		

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER	index	TL	εο =	TIMH	PIRELLI	index	TL	εο =	TIMH	VeeMoto	index	TL	εο =	TIMH
ATV "ON / OFF"																	
A T V	6"	145/70 - 6											V196 WorkHorse	2PR	TL	=	32
	7"	16 x 8 - 7											V196 WorkHorse	2PR	TL	=	44
	8"	22 x 11 - 8											V337 Enduro	2PR	TL	=	93
A T V	9"	22 x 11 - 9											V337 Enduro	2PR	TL	=	112
	12"	24 x 8 - 12											V326F Enduro	4PR	TL	ε	98
	!	24 x 10 - 12											V326R Enduro	4PR	TL	o	101
A T V	8"	20 x 7 - 8											V208 Speedway	4PR	TL	=	59
	10"	21 x 7 - 10											V208 Speedway	4PR	TL	=	67
	!	22 x 8 - 10											V208 Speedway	4PR	TL	=	72
A T V	!	22 x 11 - 10											V189 Grizzly	4PR	TL	=	123
	12"	25 x 8 - 12											V189 Grizzly	4PR	TL	=	112
	!	25 x 10 - 12											V189 Grizzly	4PR	TL	=	127

ΑΕΡΟΘΑΛΑΜΟΙ "CROSS"																	
C R O S S	18"	100/100 - 18											Αερθ. Vee--CROSS	TR4	HD		17,0
	!	110/100 - 18	Αερθ. CROSS (CR-18F) {100 > 140 - 18}			26,0		Αερθ. CROSS (21B-18) {100 > 140 - 18}			26,0		Αερθ. Vee--CROSS	TR4	HD		18,0
	!	120/100 - 18											Αερθ. Vee--CROSS	TR4	HD		19,0
	19"	100/90 - 19											Αερθ. Vee--CROSS	TR4	HD		17,0
	!	110/90 - 19	Αερθ. CROSS (CR-19E) {100 > 120 - 19}			26,0		Αερθ. CROSS (21B-19) {100 > 120 - 19}			26,0		Αερθ. Vee--CROSS	TR4	HD		18,0
	!	120/80 - 19											Αερθ. Vee--CROSS	TR4	HD		19,0
	21"	80/100 - 21	Αερθ. CROSS (CR-21D) {80 > 90 - 21}			23,0		Αερθ. CROSS (10B-21) {80 > 90 - 21}			23,0		Αερθ. Vee--CROSS	TR4	HD		16,0

V	RIM	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER valve	ίσια {90}	TIMH	PIRELLI valve	ίσια {90}	TIMH	VeeMoto valve	ίσια {90}	TIMH			
ΑΕΡΟΘΑΛΑΜΟΙ "SAMSON"														
SAMSON		3.00/3.50 - 10	SAMSON--Tubes < In Bag > (by VeeRubber)										> Αερθ. SAMSON (bag) TR87 {90}	5,7
		2.00/2.25 - 17											> Αερθ. SAMSON (bag) TR4 ίσια	4,9
		2.25/2.50 - 17											> Αερθ. SAMSON (bag) TR4 ίσια	5,1
		2.50/2.75 - 17											> Αερθ. SAMSON (bag) TR4 ίσια	5,4

ΑΕΡΟΘΑΛΑΜΟΙ (ΜΟΤΟ εως 14")														
ΑΕΡΟΘΑΛΑΜΟΙ	6"	5.4 - 6										Αερθ. VeeMoto (box) TR87 {90}	11,3	
	8"	2.50 - 8										Αερθ. VeeMoto (box) TR87 {90}	6,5	
	!	3.00 - 8										Αερθ. VeeMoto (box) TR87 {90}	6,5	
	!	3.50/4.00 - 8										Αερθ. VeeMoto (box) TR87 {90}	7,5	
	10"	2.50/2.75 - 10				MA-10 TR4 ίσια	11,0					Αερθ. VeeMoto (box) TR87 {90}	6,5	
	!	3.00/3.50 - 10	*Me D-10 (Off-8mm) TR4	ίσια	11,3	10-C10 (Off-5mm) TR87 {90}	11,0				>	Αερθ. SAMSON (bag) TR87 {90}	5,7	
	!	3.50/4.00 - 10										Αερθ. VeeMoto (box) TR87 {90}	8,9	
	!	120/130 - 10										Αερθ. VeeMoto (box) TR87 {90}	8,9	
	12"	60/100 - 12				MH-12 TR4	ίσια	13,5						
	!	80/100 - 12				MA-12 TR4	ίσια	13,5						
	!	3.00/3.25 - 12										Αερθ. VeeMoto (box) TR4	ίσια	7,5
	!	120/130 - 12										Αερθ. VeeMoto (box) TR87 {90}	9,9	
	13"	130/60 - 13										Αερθ. VeeMoto (box) TR87 {90}	9,5	
	14"	2.00/2.25 - 14				MA-14 (60/100 - 14) TR4	ίσια	13,5				Αερθ. VeeMoto (box) TR4	ίσια	5,7
	!	2.75/3.00 - 14										Αερθ. VeeMoto (box) TR4	ίσια	6,9
	!	4.10 - 14				MB-14 (90/110 - 14) TR4	ίσια	13,5				Αερθ. VeeMoto (box) TR4	ίσια	8,7
!	180/80 - 14										Αερθ. VeeMoto (box) TR4	ίσια	19,8	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER				PIRELLI				VeeMoto			
			valve	ίσια {90}	TIMH	valve	ίσια {90}	TIMH	valve	ίσια {90}	TIMH			
ΑΕΡΟΘΑΛΑΜΟΙ (ΜΟΤΟ 15" εως 21")														
Α Ε Ρ Ο Θ Α Λ Α Μ Ο Ι	15"	130/140 - 15	Me F-16	TR4	(15+16)	13,5	MD-16	TR4	(15+16)	13,5	Αερθ. VeeMoto (box)	TR87 ή TR4	10,2	
	!	170/80 - 15	Me E-15	TR4	ίσια	22,0					Αερθ. VeeMoto (box)	TR87 {90}	19,8	
	16"	2.00/2.25 - 16					7A-16 (2.25 / 2.50 - 16)	TR4	ίσια	11,0	Αερθ. VeeMoto (box)	TR4	ίση	5,9
	!	2.50/2.75 - 16									Αερθ. VeeMoto (box)	TR4	ίση	6,5
	!	3.00/3.25 - 16									Αερθ. VeeMoto (box)	TR4	ίση	7,8
	!	3.25/3.50 - 16	Me C-16	TR4	ίση	13,5	MB-16	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,8
	!	4.50/5.10 - 16	Me F-16	TR4	(15+16)	13,5	MD-16	TR4	(15+16)	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,5
	17"	45/90 - 17									Αερθ. VeeMoto (box)	TR4	ίση	5,2
	!	2+2.1/2 - 16+17									Αερθ. VeeMoto (box)	TR4	(16+17)	5,7
	!	2.00/2.25 - 17									> Αερθ. SAMSON (bag)	TR4	ίση	4,9
	!	2.25/2.50 - 17					7A-17	TR4	ίση	11,0	> Αερθ. SAMSON (bag)	TR4	ίση	5,1
	!	2.50/2.75 - 17	Me CD-17	TR4	ίση	13,5					> Αερθ. SAMSON (bag)	TR4	ίση	5,4
	!	2.75/3.00 - 17	Me CD-17	TR4	ίση	13,5	MA-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,5
	!	120/80+90 - 17	Me E-17*	TR4	ίση	13,5	MC-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	10,7
	!	4.50/5.10 - 17	Me F-17B	TR4	ίση	13,5	MD-17	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,8
	18"	2.50/2.75 - 18	Me C-18	TR4	ίση	13,5					Αερθ. VeeMoto (box)	TR4	ίση	6,8
	!	3.00/3.25 - 18					MA-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,9
	!	3.25/4.10 - 18	Me E-18Y	TR4	ίση	13,5	MB-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,1
	!	4.00/4.50 - 18	Me F-18Y	TR4	ίση	13,5	MD-18	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	11,2
	19"	2.75/3.00 - 19	Me D-19	TR4	ίση	13,5	MA-19	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	7,7
!	3.25/4.10 - 19	Me E-19	TR4	ίση	13,5	MC-19	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,5	
21"	2.75/3.00 - 21	Me C/D-21	TR4	ίση	13,5	MA-21	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,3	
!	90/90 - 21	Me C/D-21	TR4	ίση	13,5	MA-21	TR4	ίση	13,5	Αερθ. VeeMoto (box)	TR4	ίση	8,5	

V	R I M	<ΔΙΑΣΤΑΣΕΙΣ>	METZELER index	TIMH	PIRELLI index	TIMH	VeeMoto	BOX x 5	TIMH
ΦΑΚΑΡΟΛΕΣ--Bands (ΜΟΤΟ 15" εως 21")									
B A N D S	15"	120/170 - 15					ΦΑΚΑΡΟΛΑ 15` x 35mm	BOX x 5	15,0
	17"	2.50/2.75 - 17					ΦΑΚΑΡΟΛΑ 17` x 25mm	BOX x 5	15,0
	!	3.00/4.00 - 17					ΦΑΚΑΡΟΛΑ 17` x 30mm	BOX x 5	15,0
	!	120/170 - 17					ΦΑΚΑΡΟΛΑ 17` x 35mm	BOX x 5	15,0
	18"	120/170 - 18					ΦΑΚΑΡΟΛΑ 18` x 35mm	BOX x 5	15,0
	19"	3.00/120 - 19					ΦΑΚΑΡΟΛΑ 19` x 30mm	BOX x 5	15,0
	21"	3.00/100 - 21					ΦΑΚΑΡΟΛΑ 21` x 30mm	BOX x 5	15,0

ΦΑΚΑΡΟΛΕΣ---VeeMoto (25 εως 35mm πλάτος & 15" εως 21"inch. Ζάντα) TIMH = BOX x 5 >> 15,0

Intramoto ΑΕ		Λογαριασμοί "ΤΡΑΠΕΖΩΝ" & IBAN	
Intramoto ΑΕ		Σ. Βέμπο 21 & Ιάσωνος 1 (165 61) Γλυφάδα	
		Τηλ: 210-9603961-3 Fax: 210-9640201 VIBER: 6980-309356	
VIVA--Wallet (ΑΦΜ--Intramoto: 094334000)		E-mail: intramoto@intramoto.gr (www.intramoto.gr)	
<u>ALPHA</u>	Λογ. 386 0023 2000 0355	<u>ALPHA</u>	IBAN. GR 8501 4038 6038 6002 3200 00355
<u>ΕΘΝΙΚΗ</u>	Λογ. 121 / 47030063	<u>ΕΘΝΙΚΗ</u>	IBAN. GR 5801 1012 1000 0012 1470 30063
<u>ΠΕΙΡΑΙΩΣ</u>	Λογ. 5019 01578 4513	<u>ΠΕΙΡΑΙΩΣ</u>	IBAN. GR 1601 7201 9000 5019 0157 84513
<u>EURObank</u>	Λογ. 0026 0004 5002 0036 3766	<u>EURObank</u>	IBAN. GR 8202 6000 4000 0500 2003 63766